S36 7	157	(determine\$ with (search\$ near2 request)) same transmit\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 13:21
S36 8	85	(determine\$ with (search\$ near2 request)) same transmit\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27:14:36
S36 9	401	(determine\$ with (search\$ near2 request))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 14:36
S37 0	93	(determine\$ with (search\$ near2 request)) and 707/3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 14:36
S37 1	5	(determine\$ with (search\$ near2 request)) and 707/3 and (search\$ same (local near2 database) same (remote database))\	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 14:37
S37 2	5	(determine\$ with (search\$ near2 request)) and 707/3 and (search\$ same:(local near2 database) same (remote database))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:12
S37 3	1346	(conver\$ same format) and (relational near2 database)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:13
S37 4	850	S373 and search	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:13
S37 5	402	S374 and (determine\$ same format)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:14
S37 6	301	S374 and (determine\$ same format) and (format same database)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/04/27 15:14
S37 7	4	S374 and (determine\$ same format) and (format same database) and ((expression with format) same database)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:15
S37 8	0	S374 and (determine\$ same format) and (format same database) and ((expression with format) same database) and converter	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:16

S37 9	0	S374 and (format same database) and ((expression with format) same database) and converter	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:16
S38 0	0	S374 and ((expression with format) same database) and converter	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:16
S38 1	202	S374 and converter	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:16
S38 2	26	S374 and converter and 7.07/3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:38
S38 3	0	"5819237".pn. and format	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:38
538 4	2	"5819237".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:38
S38 5	2	"6760720".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:39
S38 6	1	"6760720".pn. and format	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:44
S38 7	254184	(convert\$ with format with file) same store file	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:44
S38 8	121	(convert\$ with format with file) same (store with file)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:44
S38 9	23	S388 and (converter)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:46
S39 0	818	(convert\$ with format) with store	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:47

S39 1	. 32	(convert\$ with format) with (store with database)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	. OFF	2005/04/27 15:54
S39 2	1	"6421669":pn. and relational	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 15:55
S39 3	1	"5974412".pn. and relational	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 16:32
S39 4	1	"6839701".pn. and relational	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 16:33
S39 5	31	((search\$ with (relational near2 database)) same attributes) and 707/3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/27 17:53
S39 6	4	"6594656".pn. or "6122633".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 11:17
S39 7	12872	707/100 or 707/6 or 707/3 or 707/5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 11:24
S39 8	335	S397 and (match\$3 with patterns)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 11:26
S39 9	7	S398 and (shortest with match\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2005/04/28 11:25
S40 0	1	S399 and (sequence with events)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 11:25
S40 1	28925	1and (sequence with events)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 11:25

S40 2	253	S397 and (sequence with events)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 11:26
\$40 3	10	S402 and S398	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 11:25
S40 4	0	(shorest with match\$3) and (longest with match\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 11:26
S40 5	578	(DBMS or (relational)) and (match\$3 with patterns)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 11:26
S40 6	98	S405 and S397	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 11:26
S40 7	98	S406 and S398	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 11:26
S40 8	4	S406 and (sequence with events)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:14
S40 9	466	(automation near2 object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:15
S41 0	0	S409 and treee	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:15
S41 1	43	S409 and tree	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:15

S41 2	13	S411 and directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:15
\$41 3	0	S412 and ((map\$ with object) same directory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:16
S41 4	368	((map\$ with object) same directory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:16
541 5	129	S414 and (directory with entry)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:16
S41 6	81	S415 and (object with name)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:16
S41 7	11	S416 and (description with interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 14:17
S41 8	11	S417 and object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 16:37
S41 9	1	"6594656".pn. and parallel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	©R.	OFF	2005/04/28 16:44
S42 0	1	"6122633".pn. and parallel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 16:39
\$42 1	1	"6594656".pn. and events	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 17:04

S42 2	11923	707/3 or 707/200 or 707/205 or 707/204	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 17:05
S42 3	8	S422 and (parallel same execution same trigger)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 17:50
S42 4	132	(parallel same execution same trigger)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR _.	. OFF	2005/04/28 17:51
S42 5	0	S424 and (excution same parallel same modules)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 17:51
S42 6		(excution same parallel same modules)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 17:51
S42 7	27045	(parallel same modules)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 17:51
S42 8	461	S427 and (trigger same event)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/04/28 17:52
S42 9	358	S427 and (trigger same events)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 17:52
S43 0	55	S429 and (execution with events)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 17:58
\$43 1	8630	Gross.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TIDB	OR .	0FF	2005/04/28 17:59

S43 2	0	Gross.in. and 2002/0004735	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 17:59
S43 3	0	Gross.in. and (US near2 2002/0004735)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 17:59
S43 4	1699408	Gross.in. and database "200"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 17:59
S43 5	3	Gross:in. and (database near2 "200")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/28 18:00
S43 6	2 ·	"5867799".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 10:27
S43 7	2	"6122648".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 11:02
S43 8	336	(converter with format) same database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 11:03
\$43 9	47	S438 and (determine\$ with format)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	⊙R.	OFF	2005/04/29 11:13
S44 0	24	(determine\$ with format with database) same convert	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 11:06
\$44 1	1565	(convert\$ with format) same (store\$ with database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 11:14

S44 2	207	S441 and (converter with format)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 11:14
S44 3	31	S442 and (convert\$ with store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 11:15
S44 4	75	S442 and (convert\$ same store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 11:27
544 5	0	"10693090"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 11:35
S44 6	2	"6708189".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 11:39
S44 7	2	("6061696".pn.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 11:55
S44 8	0	("6061696".pn.) and converter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 11:55
S44 9	3	09/236723	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 11:58
S45 0	. 0	09/236723 and (converter with interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 11:58
S45 1	0	09/236723 and (converter same interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR.	OFF	2005/04/29 11:58

S45 2	3	09/236723 and (converter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 11:58
S45 3	3	09/236723 and (converter) and interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 11:59
S45 4	23491	(converter with interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 11:59
S45 5	1720	(converter with interface) same format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 11:59
S45 6	1017	(converter with interface) with format	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 11:59
S45 7	14	((converter with interface) with format) same database	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 12:05
S45 8	2621	(search\$ with database same format)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 12:05
\$45 9	513	(search\$ with database same format) and (input with format)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	⊙R.	OFF	2005/04/29 12:05
S46 0	154	(search\$ with database same format) and (request near2 format)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 12:06
\$46. 1	52	(search\$ with database same format) and (search\$ with (request near2 format))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 12:06

S46 2	25	(search\$ with database same format) and (search\$ with (request near2 format))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 12:19
\$46 3	94	(request with HTML) same (search\$ with HTML)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 12:19
S46 4	23	(request with HTML) same (search\$ with HTML) same database	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 12:22
S46 5	28	((search\$ with format) with database) and (request near2 format)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	0FF	2005/04/29 12:29
S46 6	2	"6708189".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 12:36
\$46 7	29	(request near2 format) with (database near2 format)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 12:36